

*Every Day Starts With Quality*

*Dawn*<sup>™</sup>

Vol.  
26

# Dawn Industries Product Catalog

[dawnindustries.com](http://dawnindustries.com)



| dawnindustries.com

# About Dawn



## Leading with Innovation

At Dawn Industries, Inc., our mission is to save water system professionals time and money. With over 40 years of experience, we have pioneered some of the industry's most innovative and reliable water system and replacement products.

Guided by a team of skilled engineers, dedicated sales experts, and responsive support staff, we collaborate with industry professionals to develop solutions that make a meaningful impact.

## Commitment to Customer Satisfaction


Our commitment to customers goes beyond products. At Dawn, we focus on providing reliable solutions, quality service, and genuine support. We take pride in building strong relationships and ensuring our customers have the right products for their needs.

We are dedicated to maintaining high standards and offering dependable service. We appreciate the opportunity to serve you, now and into the future, with the same trust and reliability you've come to expect.

*Every Day Starts With Quality*

## Follow us on Social Media

Stay connected with Dawn Industries. Follow us on LinkedIn to stay up-to-date on company news, events, and industry updates. Subscribe to our YouTube channel for educational videos, including step-by-step installation guides for our products.



## Visit our website

For product updates, installation guides and videos, and general irrigation information.

[dawnindustries.com](http://dawnindustries.com)



Finding a distributor is just a click away. Check out our website for a distributor near you.

## Contact us

**Dawn Industries**  
5055 W. 58th Ave,  
Arvada,  
Colorado 80002 USA  
Phone: 1-303-296-4041  
Toll-Free: 1-800-321-7246  
Fax: 1-303-295-6604  
[sales@dawnindustries.com](mailto:sales@dawnindustries.com)

# Contents

## Cutters

|                             |   |
|-----------------------------|---|
| KwikCut™ Cutters            | 4 |
| KwikCut™ Replacement Blades | 4 |

## Fittings

|                                          |    |
|------------------------------------------|----|
| <b>NEW</b> KwikTap™ Tool-Less Saddle     | 6  |
| KwikSaddle™ Self Tapping Saddle Tees     | 8  |
| KwikAdapt™ Swing/Drip Fittings           | 10 |
| KwikSeal™ Saddles                        | 12 |
| Coring Tool                              | 12 |
| Nut Driver                               | 12 |
| KwikRepair™ PVC Repair Fittings          | 14 |
| KwikConnect™ O-Ring & Lock Ring Fittings | 16 |
| KwikSlip™ PVC Glue Fittings              | 18 |
| KwikSnap™ PVC Glue Saddle                | 19 |

## Tools

|                          |    |
|--------------------------|----|
| KwikPuller™ Pipe Pullers | 20 |
| KwikLink™                | 20 |
| Utility Knives           | 21 |
| Turf Knife               | 21 |

|                       |    |
|-----------------------|----|
| Hack Saws             | 22 |
| Hand Saws             | 22 |
| Rope Saw              | 22 |
| Wire Stippers/Cutters | 23 |
| Pinch Clamp Crimpers  | 24 |
| Groove Joint Pliers   | 24 |
| Dead Blow Hammer      | 24 |
| Nipple Extractor      | 24 |
| Four Way Key          | 24 |

## Accessories

|                              |    |
|------------------------------|----|
| KwikBucket Storage Organizer | 26 |
| KwikBucket Sorting Tray      | 26 |
| KwikTote                     | 26 |
| KwikGlue Tote                | 26 |
| KwikCap                      | 26 |
| KwikSplice Direct Bury       | 27 |

|                    |    |
|--------------------|----|
| Conditions of Sale | 28 |
| Notes              | 30 |



Dawn is committed to product development and improvement so specifications may change without notice and without incurring liability. © All photographs and drawings used in the Dawn catalog are the property of Dawn Industries and are protected by Copyright. Reproduction in whole or part, in any form of medium, without written approval from Dawn Industries is prohibited. TM ® Trademarks and Registered Trademarks, where indicated, are owned by Dawn Industries.

*Every Day Starts With Quality*

# KwikCut™

**Professional Quality**

Premium cutters delivering longer lasting performance and clean, straight cuts. Designed for polyethylene, PVC pipe, hose and tube, with high quality blades manufactured under exceptional quality control.

## Features

- Clean, smooth right angle cut, eliminating chamfering of the pipe
- Fiberglass reinforced nylon handles for durability and long life
- SL Series has spring loaded action and safety close clip
- Stainless Steel & PTFE Coated blade options
- Replacement blades available
- Pre-packaged in ready-to-hang, safe and secure retail pack
- T Series Patented (US Patent #4336652)
- SL Series Patented (US Patent #6370780)

### T & SL Series 100

1/8" – 1 1/8" (3 mm – 32 mm)

### T & SL Series 135

1/8" – 1 5/8" (3 mm – 42 mm)

### T & SL Series 200

1/8" – 1 7/8" (3 mm – 48 mm)




KwikCut™  
BT100-SS  
Stainless Steel  
Replacement  
Blade



## Applications

Cutting of PE, HDPE, PVC pipe, hose, conduit & electrical cables for irrigation, landscape, plumbing and electrical applications.



**Watch the Video**

Scan this QR code to watch the video



KwikCut™ Standard T100  
Stainless Steel Blade



KwikCut™ Spring Action SL135  
PTFE Blade



KwikCut™ Standard T200 Black  
Stainless Steel Blade



KwikCut™ BT135 PTFE Replacement Blade



KwikCut™  
Safe &  
Secure Retail  
Packaging

## Ordering Information - KwikCut™ Standard T Series

| Description                                         | Part Number | Pack Quantity | Units Per Carton |
|-----------------------------------------------------|-------------|---------------|------------------|
| KwikCut™ T100 <b>Orange</b> - PTFE Blade            | T100-0      | 1             | 50               |
| KwikCut™ T100 <b>Black</b> - PTFE Blade             | T100        | 1             | 50               |
| KwikCut™ T100 <b>Orange</b> - Stainless Steel Blade | T100-0-SS   | 1             | 50               |
| KwikCut™ T100 <b>Black</b> - Stainless Steel Blade  | T100-SS     | 1             | 50               |
| KwikCut™ T135 <b>Orange</b> - PTFE Blade            | T135-0      | 1             | 50               |
| KwikCut™ T135 <b>Black</b> - PTFE Blade             | T135        | 1             | 50               |
| KwikCut™ T135 <b>Orange</b> - Stainless Steel Blade | T135-0-SS   | 1             | 50               |
| KwikCut™ T135 <b>Black</b> - Stainless Steel Blade  | T135-SS     | 1             | 50               |
| KwikCut™ T200 <b>Black</b> - Stainless Steel Blade  | SS200       | 1             | 50               |

## Ordering Information - KwikCut™ Spring Loaded SL Series

| Description                                          | Part Number | Pack Quantity | Units Per Carton |
|------------------------------------------------------|-------------|---------------|------------------|
| KwikCut™ SL100 <b>Orange</b> - PTFE Blade            | SL100-0     | 1             | 50               |
| KwikCut™ SL100 <b>Black</b> - PTFE Blade             | SL100       | 1             | 50               |
| KwikCut™ SL100 <b>Orange</b> - Stainless Steel Blade | SL100-0-SS  | 1             | 50               |
| KwikCut™ SL100 <b>Black</b> - Stainless Steel Blade  | SL100-SS    | 1             | 50               |
| KwikCut™ SL135 <b>Orange</b> - PTFE Blade            | SL135-0     | 1             | 50               |
| KwikCut™ SL135 <b>Black</b> - PTFE Blade             | SL135       | 1             | 50               |
| KwikCut™ SL135 <b>Orange</b> - Stainless Steel Blade | SL135-0-SS  | 1             | 50               |
| KwikCut™ SL135 <b>Black</b> - Stainless Steel Blade  | SL135-SS    | 1             | 50               |
| KwikCut™ SL200 <b>Black</b> - Stainless Steel Blade  | SL200       | 1             | 50               |

## Ordering Information - KwikCut™ Replacement Blades

| Description                            | Part Number | Pack Quantity | Units Per Carton |
|----------------------------------------|-------------|---------------|------------------|
| KwikCut™ BT100 - PTFE Blade            | BT100       | 1             | 250              |
| KwikCut™ BT100 - Stainless Steel Blade | BT100-SS    | 1             | 250              |
| KwikCut™ BT135 - PTFE Blade            | BT135       | 1             | 250              |
| KwikCut™ BT135 - Stainless Steel Blade | BT135-SS    | 1             | 250              |
| KwikCut™ SS200 - Stainless Steel Blade | SSB200      | 1             | 250              |



PVC Pipe



Pex Pipe



Rope



Radiator Hose



Conduit



Branches



Poly Pipe



Belts

# KwikTap™

## Professional Quality

KwikTap™ Saddle Tees offer a tool-free and clamp-free solution for connecting to poly tubing, making installation fast and versatile while enhancing flow efficiency.

### Features

- Tool-free design: no snaps, straps, or cutting required
- Installs 6x faster than insert fittings with worm screw clamps
- Easily removable & reusable
- Reinforced Nylon top & ABS bottom for durability
- Options for swing elbow & straight adapters
- Metric sizes available
- Patented (US Patent #7150289)
- Suitable for rotors, spray bodies, and swing/drip connections



KwikTap™ Saddle  
1/2" or 3/4" FPT



Watch the Video

Scan this QR code to watch the video

### Ordering Information - KwikTap™ Saddles

| Description          | Part Number | Pack Quantity | Units Per Carton |
|----------------------|-------------|---------------|------------------|
| 3/4" PE x 1/2" FPT   | KT007C      | 10            | 200              |
| 3/4" PE x 3/4" FPT   | KT007D      | 10            | 200              |
| 1" PE x 1/2" FPT     | KT010C      | 10            | 200              |
| 1" PE x 3/4" FPT     | KT010D      | 10            | 200              |
| 1 1/4" PE x 1/2" FPT | KT012C      | 10            | 200              |
| 1 1/4" PE x 3/4" FPT | KT012D      | 10            | 200              |
| 1 1/2" PE x 1/2" FPT | KT015C      | 10            | 200              |
| 1 1/2" PE x 3/4" FPT | KT015D      | 10            | 200              |

### Ordering Information - KwikTap™ Saddles (Metric)

| Description         | Part Number | Pack Quantity | Units Per Carton |
|---------------------|-------------|---------------|------------------|
| 25 mm PE x 1/2" FPT | KT025C      | 10            | 200              |
| 25 mm PE x 3/4" FPT | KT025D      | 10            | 200              |
| 32 mm PE x 1/2" FPT | KT032C      | 10            | 200              |
| 32 mm PE x 3/4" FPT | KT032D      | 10            | 200              |

### Performance Chart

| Flow Rate                                 | Flow Restriction                  | Quick Burst Test                                                    |
|-------------------------------------------|-----------------------------------|---------------------------------------------------------------------|
| 13.6 gpm @ 40 psi<br>(15.5 lpm @ 275 kPa) | 41% less than standard insert tee | 392 psi (2702 kPa) @ 62 seconds - The KwikTap™ fitting did not fail |

KwikTap™ Saddle with Swing Elbow Adapter



KwikTap™ Saddle with Swing Straight Adapter



KwikTap™ Saddle with Drip Adapter



### Ordering Information - KwikTap™ Saddle w/ Elbow Adapter

| Description             | Part Number | Pack Quantity | Units Per Carton |
|-------------------------|-------------|---------------|------------------|
| 3/4" PE x Swing Elbow   | KT007SW-E   | 10            | 200              |
| 1" PE x Swing Elbow     | KT010SW-E   | 10            | 200              |
| 1 1/4" PE x Swing Elbow | KT012SW-E   | 10            | 200              |
| 1 1/2" PE x Swing Elbow | KT015SW-E   | 10            | 100              |

### Ordering Information - KwikTap™ Saddle w/ Elbow Adapter (Metric)

| Description            | Part Number | Pack Quantity | Units Per Carton |
|------------------------|-------------|---------------|------------------|
| 25 mm PE x Swing Elbow | KT025SW-E   | 10            | 200              |
| 32 mm PE x Swing Elbow | KT0032SW-E  | 10            | 100              |


### Ordering Information - KwikTap™ Saddle w/ Straight Adapter

| Description                  | Part Number | Pack Quantity | Units Per Carton |
|------------------------------|-------------|---------------|------------------|
| 3/4" PE x 17 mm Male Adapter | KT007DMA17  | 10            | 200              |
| 3/4" PE x Swing Straight     | KT007SW-S   | 10            | 200              |
| 1" PE x 17 mm Male Adapter   | KT010DMA17  | 10            | 200              |
| 1" PE x Swing Straight       | KT010SW-S   | 10            | 200              |
| 1 1/4" PE x Swing Straight   | KT012SW-S   | 10            | 200              |
| 1 1/2" PE x Swing Straight   | KT015SW-S   | 10            | 100              |

### Ordering Information - KwikTap™ Saddle w/ Straight Adapter (Metric)

| Description                   | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------|-------------|---------------|------------------|
| 25 mm PE x 17 mm Male Adapter | KT025DMA17  | 10            | 200              |
| 25 mm PE x Swing Straight     | KT025SW-S   | 10            | 200              |
| 32 mm PE x 17 mm Male Adapter | KT032DMA17  | 10            | 200              |
| 32 mm PE x Swing Straight     | KT032SW-S   | 10            | 200              |

### Installing KwikTap™ Saddles

- 

Simply open the saddle and snap it onto the pipe.
- 

While holding components in position, place the tap onto the saddle.
- 

Screw the tap onto the ratcheting lock until it can no longer turn.



# KwikSaddle™

Professional Quality

The New KwikSaddle™ is a self-tapping saddle featuring a tool-free design that pushes down onto the pipe for a faster, improved installation.

## Features

- Tool-free design - no bolts, washers, nuts or o-rings to perish
- Less digging required for installation
- Available with and without a straight adaptor
- Compatible with Dawn KwikAdapt™ swing fittings
- Installs in under 10 seconds
- Easy-grip handles for secure installation

## LESS DIGGING REQUIRED

*Installs from pipe above*



**NEW**



KwikSaddle™ 1" Poly x 1/2" FPT

KwikSaddle™ 1" Poly x Swing Pipe Barb



**SECURE SEAL**

**KWIK INSTALLATION**


**ROBUST CONNECTION**

### Ordering Information - KwikSaddle™

| Description        | Part Number | Pack Quantity | Units Per Carton |
|--------------------|-------------|---------------|------------------|
| 1" Poly x 1/2" FPT | KS010C      | 25            | 125              |

### Ordering Information - KwikSaddle™ w/ Straight Adapter


| Description               | Part Number | Pack Quantity | Units Per Carton |
|---------------------------|-------------|---------------|------------------|
| 1" Poly x Swing Pipe Barb | KS010SW-S   | 25            | 125              |



Watch the Video

Scan this QR code to watch the video


### Installing KwikSaddle™

1



Push down to lock

2


Screw in tap


3


Click to lock


4


OPTIONAL  
Choose Fitting


### Installing KwikSaddle™ with Straight Adapter

1



Push down to lock

2


Screw in tap

3


Click to lock

4


Push in tube

# KwikAdapt™

Professional Quality

KwikAdapt™ fittings provide a quick and reliable way to connect Polyethylene Pipe to Swing/Drip tubing with a single-piece design. Built for strength and convenience, the barb and spike combination keeps connections secure, even under pressure surges.

## Features

- Easy, fast installation
- Universal thread sizes for versatile use
- Strong barb & spike design ensures stability
- Made in USA



Watch the Video

Scan this QR code to watch the video



Poly Swing Coupler



Coupler x Swing Coupler 17 mm



Poly Elbow 1/2" MPT



Poly Elbow 3/4" MPT



Poly Straight 1/2" MPT



Poly Straight 3/4" MPT

## Ordering Information - Swing & Drip Couplers

| Description                   | Part Number    | Pack Quantity | Units Per Carton |
|-------------------------------|----------------|---------------|------------------|
| Drip Coupler 17 mm            | DC1429-017     | 50            | 1000             |
| Poly Swing Coupler            | SW1429-003     | 50            | 1000             |
| Coupler x Swing Coupler 17 mm | DC1429-017-003 | 50            | 1000             |

## Ordering Information - Swing Elbow Adapters

| Description                                | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------------------|-------------|---------------|------------------|
| Poly Elbow: 1/2" MPT x Swing Elbow Adapter | SW1413-073  | 50            | 1000             |
| Poly Elbow: 3/4" MPT x Swing Elbow Adapter | SW1413-099  | 50            | 1500             |

## Ordering Information - Swing & Drip Adapters

| Description                                      | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------------------------|-------------|---------------|------------------|
| Poly Straight: 1/2" MPT x 17 mm Drip Adapter     | DMA17-050   | 50            | 1000             |
| Poly Straight: 1/2" MPT x Swing Straight Adapter | SW1436-073  | 50            | 1000             |
| Poly Straight: 3/4" MPT x Swing Straight Adapter | SW1436-099  | 50            | 1000             |



Poly Swing Tee



Poly Swing Tee x 1/2" MPT



Tee 17 mm x MPT



Poly Insert Tee x Swing Tee



Poly Coupler Adapt to Swing

### Ordering Information - Swing, Drip & Threaded Swing Tees

| Description               | Part Number | Pack Quantity | Units Per Carton |
|---------------------------|-------------|---------------|------------------|
| Poly Swing Tee            | SW1401-003  | 50            | 1000             |
| Poly Swing Tee x 1/2" MPT | SW1403-003  | 50            | 1000             |
| Tee 17 mm x MPT           | DT1403-017  | 50            | 1000             |
| Tee 17 mm                 | DT1401-017  | 50            | 1000             |

### Ordering Information - Swing/Drip Insert Tees

| Description                          | Part Number    | Pack Quantity | Units Per Carton |
|--------------------------------------|----------------|---------------|------------------|
| Poly Insert Tee 3/4" x Swing Tee     | SW1401-099     | 10            | 250              |
| Poly Insert Tee 1" x Swing Tee       | SW1401-129     | 10            | 250              |
| Poly Insert Tee 3/4" x 17 mm Adapter | DT1401-099-017 | 10            | 250              |
| Poly Insert Tee 1" x 17 mm Adapter   | DT1401-129-017 | 10            | 250              |

### Ordering Information - End of Lines

| Description                         | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------------|-------------|---------------|------------------|
| Poly Coupler Adapt 3/4" PE to Swing | SW1429-099  | 25            | 1000             |
| Poly Coupler Adapt 1" PE to Swing   | SW1429-129  | 25            | 1000             |



# KwikSeal™

## Professional Quality

Low-profile, durable solution for Polyethylene pipes, eliminating common issues with traditional insert fittings. With a one-piece design and molded-in barb seal, it's secure and hassle-free, built to last without gaskets or clamps.

### Features

- One-piece hinged design for easy installation
- Molded-in barb seal with no gaskets or seals to lose
- Rust-free, corrosion-resistant bolts and nuts made from fiberglass-reinforced nylon
- Low-profile design with zero flow restriction
- Withstands over 400 psi without leaks
- 2 1/2" length protects the seal if the pipe is kinked or damaged near the saddle tee
- Coring tool compatible with all KwikSeal™ products
- Patented KwikSeal™ (US Patent #4789189)

### Applications

Poly pipe in agriculture & commercial irrigation and landscape applications.



KwikSeal™ Taping  
Saddle White



**Watch the Video**

Scan this QR code to  
watch the video

## Ordering Information - KwikSeal™ Saddles

| Description                   | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------|-------------|---------------|------------------|
| Poly Saddle 3/4" x 1/2" FPT   | 75C         | 10            | 250              |
| Poly Saddle 3/4" x 3/4" FPT   | 75D         | 10            | 250              |
| Poly Saddle 1" x 1/2" FPT     | 100C        | 10            | 250              |
| Poly Saddle 1" x 3/4" FPT     | 100D        | 10            | 250              |
| Poly Saddle 1 1/4" x 3/4" FPT | 125C        | 10            | 250              |
| Poly Saddle 1 1/4" x 3/4" FPT | 125D        | 10            | 250              |

## Ordering Information - Coring Tool

| Description                             | Part Number | Pack Quantity | Units Per Carton |
|-----------------------------------------|-------------|---------------|------------------|
| Hole Coring Tool (fits 1/2" & 3/4" FPT) | HCT-COMBO   | 1             | 100              |

## Ordering Information - Nut Driver

| Description      | Part Number | Pack Quantity | Units Per Carton |
|------------------|-------------|---------------|------------------|
| Nut Driver 9/16" | ND375       | 1             | 500              |



KwikSeal™ Taping Saddle Grey



Coring Tool




Nut Driver



# KwikRepair™

Professional Quality

A simple solution for in-line PVC installation and repairs with one fitting. Its sleeve slides onto the pipe, allowing primer and solvent to be applied without bending—eliminating the need to dig long trenches and flex the pipe to fit regular couplers and tees.



KwikRepair™  
Tee

## Features

- Permanent & reliable solvent-weld seal without O-rings
- No thrust blocking or staking needed
- Ideal for repairs in tight spaces
- No installation tools required
- Available in coupling sizes ½" through 4" and tees from ½" through 2"
- Patented (US Patent #6318761)
- Made in USA


## Applications

PVC repairs in agriculture & commercial irrigation applications.

## Specifications

|                 | Size  |     | Collapsed |     | Extended |     | O.D. |     |
|-----------------|-------|-----|-----------|-----|----------|-----|------|-----|
|                 | in    | mm  | In        | mm  | In       | mm  | In   | mm  |
| <b>Tees</b>     |       |     |           |     |          |     |      |     |
| KRT401-005      | 1/2   | 15  | 6         | 152 | 7.5      | 191 | 1.2  | 31  |
| KRT401-007      | 3/4   | 20  | 6.5       | 165 | 8.7      | 220 | 1.5  | 37  |
| KRT401-010      | 1     | 25  | 7.4       | 188 | 9.8      | 249 | 1.8  | 46  |
| KRT401-012      | 1 1/4 | 32  | 8.2       | 207 | 11.7     | 297 | 2.1  | 54  |
| KRT401-015      | 1 1/2 | 40  | 10.2      | 259 | 13.2     | 335 | 2.4  | 60  |
| KRT401-020      | 2     | 50  | 10.1      | 279 | 14.0     | 356 | 2.9  | 73  |
| <b>Couplers</b> |       |     |           |     |          |     |      |     |
| KRC429-005      | 1/2   | 15  | 3.9       | 99  | 5.8      | 146 | 1.2  | 31  |
| KRC429-007      | 3/4   | 20  | 4.3       | 108 | 6.4      | 162 | 1.5  | 37  |
| KRC429-010      | 1     | 25  | 4.8       | 122 | 6.9      | 175 | 1.8  | 46  |
| KRC429-012      | 1 1/4 | 32  | 5.5       | 139 | 7.7      | 197 | 2.1  | 54  |
| KRC429-015      | 1 1/2 | 40  | 6.4       | 163 | 9.4      | 239 | 2.4  | 60  |
| KRC429-020      | 2     | 50  | 6.7       | 170 | 9.9      | 251 | 2.9  | 73  |
| KRC429-025      | 2 1/2 | 65  | 8.9       | 225 | 12.4     | 314 | 3.5  | 90  |
| KRC429-030      | 3     | 80  | 9.7       | 246 | 14.0     | 356 | 4.2  | 106 |
| KRC429-040      | 4     | 100 | 10        | 255 | 14.2     | 361 | 5.2  | 132 |

## Installing KwikRepair™ Coupler



*\*Refer to the solvent manufacturer's instructions for the recommended set time before pressurizing the pipe.*

## Ordering Information - KwikRepair™ Tees

| Description                             | Part Number | Pack Quantity | Units Per Carton |
|-----------------------------------------|-------------|---------------|------------------|
| PVC Repair Tee 1/2" x 1/2" x 1/2"       | KRT401-005  | 1             | 10               |
| PVC Repair Tee 3/4" x 3/4" x 3/4"       | KRT401-007  | 1             | 10               |
| PVC Repair Tee 1" x 1" x 1"             | KRT401-010  | 1             | 10               |
| PVC Repair Tee 1 1/4" x 1 1/4" x 1 1/4" | KRT401-012  | 1             | 5                |
| PVC Repair Tee 1 1/2" x 1 1/2" x 1 1/2" | KRT401-015  | 1             | 5                |
| PVC Repair Tee 2" x 2" x 2"             | KRT401-020  | 1             | 5                |

## Ordering Information - KwikRepair™ Couplers

| Description                        | Part Number | Pack Quantity | Units Per Carton |
|------------------------------------|-------------|---------------|------------------|
| PVC Repair Coupler 1/2" x 1/2"     | KRC29-005   | 1             | 10               |
| PVC Repair Coupler 3/4" x 3/4"     | KRC29-007   | 1             | 10               |
| PVC Repair Coupler 1" x 1"         | KRC29-010   | 1             | 10               |
| PVC Repair Coupler 1 1/4" x 1 1/4" | KRC29-012   | 1             | 10               |
| PVC Repair Coupler 1 1/2" x 1 1/2" | KRC29-015   | 1             | 10               |
| PVC Repair Coupler 2" x 2"         | KRC29-020   | 1             | 5                |
| PVC Repair Coupler 2 1/2" x 2 1/2" | KRC29-025   | 1             | 5                |
| PVC Repair Coupler 3" x 3"         | KRC29-030   | 1             | 5                |
| PVC Repair Coupler 4" x 4"         | KRC29-040   | 1             | 5                |

## Performance Chart

| Diameter    |                  | Working pressure rating @ 73° F (22° C) |      |
|-------------|------------------|-----------------------------------------|------|
| Inches (in) | Millimeters (mm) | psi                                     | kPa  |
| 1/2         | 15               | 450                                     | 3103 |
| 3/4         | 20               | 360                                     | 2482 |
| 1           | 25               | 338                                     | 2330 |
| 1 1/4       | 32               | 278                                     | 1916 |
| 1 1/2       | 40               | 248                                     | 1710 |
| 2           | 50               | 210                                     | 1448 |
| 2 1/2       | 65               | 225                                     | 1551 |
| 3           | 80               | 195                                     | 1344 |
| 4           | 100              | 165                                     | 1138 |



KwikRepair™ Coupler



Watch the Video

Scan this QR code to watch the video



# KwikConnect™

Clampless Fitting for PE Systems

KwikConnect™ fittings feature double PTFE-coated Buna O-rings and an expanding lock ring, delivering a secure and reliable seal without the need for clamps or extra tools.

## Features

- Installs in seconds
- Secure fit without clamps or tools to cut labor and installation time
- Engineering grade resin for increased strength and long life
- Threaded Tee & Elbows for sprinkler systems
- Patented (US Patent #8328241)

*\*Designed for use on 80, 100 and 160 psi pipe which meets ASTM D 2239 pressure rated polyethylene pipe standard as well as Ag drip pipe.*




***In repeated high pressure testing (up to 400 psi) the KwikConnect™ never leaked or failed. In every test, the pipe burst without one KwikConnect™ failure. KwikConnects are designed for use wherever standard, ASTM D 2609, insert fittings are used.\****

## Applications

Agriculture & commercial irrigation and landscape applications.

## Ordering Information - KwikConnect™ Coupling

| Description      | Part Number | Pack Quantity | Units Per Carton |
|------------------|-------------|---------------|------------------|
| Coupling 1" x 1" | KCC1429-010 | 10            | 200              |



**Watch the Video**

Scan this QR code to watch the video

### Ordering Information - KwikConnect™ Elbow

| Description   | Part Number | Pack Quantity | Units Per Carton |
|---------------|-------------|---------------|------------------|
| Elbow 1" x 1" | KCE1406-010 | 10            | 250              |



Elbow

### Ordering Information - KwikConnect™ Reducing Elbows

| Description                  | Part Number  | Pack Quantity | Units Per Carton |
|------------------------------|--------------|---------------|------------------|
| Reducing Elbow 1" x 1/2" FPT | KCRE1407-130 | 10            | 250              |
| Reducing Elbow 1" x 3/4" FPT | KCRE1407-131 | 10            | 250              |



Reducing Elbow

### Ordering Information - KwikConnect™ Tee

| Description      | Part Number | Pack Quantity | Units Per Carton |
|------------------|-------------|---------------|------------------|
| Tee 1" x 1" x 1" | KCT1401-010 | 10            | 200              |



Tee

### Ordering Information - KwikConnect™ Reducing Tees

| Description                     | Part Number  | Pack Quantity | Units Per Carton |
|---------------------------------|--------------|---------------|------------------|
| Reducing Tee 1" x 1" x 1/2" FPT | KCRT1402-130 | 10            | 200              |
| Reducing Tee 1" x 1" x 3/4" FPT | KCRT1402-131 | 10            | 200              |



Reducing Tee

### Ordering Information - KwikConnect™ Male Adapter

| Description              | Part Number  | Pack Quantity | Units Per Carton |
|--------------------------|--------------|---------------|------------------|
| Male Adapter 1" x 1" MPT | KCMA1436-010 | 10            | 250              |



Male Adapter

### Ordering Information - KwikConnect™ Swing x End of Line

| Description            | Part Number  | Pack Quantity | Units Per Carton |
|------------------------|--------------|---------------|------------------|
| Swing x End of Line 1" | KCEL1429-129 | 10            | 250              |



Swing x End of Line


# KwikSlip™

Professional Quality

Reliable, one-piece glue fittings designed for seamless connections between PVC and Swing or Drip pipe. It eliminates the need for threaded elbows and tees, making installations faster and more efficient.

## Features

- No threads to leak
- Saves on labor costs
- Reduces inventory needs
- Durable barb & spike design
- Manifold Cross & Tee reduces number of labor consuming manifold assemblies per job



Tee x Swing



Tee x 17 mm Drip



KwikSlip™ “Y”  
Tee x Swing

## Watch the Video

Scan this QR code to watch the video



## Ordering Information - KwikSlip™ “Y” Tee x Swing

| Description       | Part Number | Pack Quantity | Units Per Carton |
|-------------------|-------------|---------------|------------------|
| 3/4" “Y” to Swing | SY-007      | 10            | 250              |
| 1" “Y” to Swing   | SY-010      | 10            | 250              |

## Ordering Information - KwikSlip™ Tee x Swing


| Description       | Part Number | Pack Quantity | Units Per Carton |
|-------------------|-------------|---------------|------------------|
| 3/4" Tee to Swing | ST-007      | 10            | 250              |
| 1" Tee to Swing   | ST-010      | 10            | 250              |
| 1/2" Tee to Swing | ST-005      | 25            | 250              |

## Ordering Information - KwikSlip™ Tee x 17 mm Drip

| Description           | Part Number | Pack Quantity | Units Per Carton |
|-----------------------|-------------|---------------|------------------|
| 3/4" Tee x 17 mm Drip | STD17-007   | 10            | 250              |
| 1" Tee x 17 mm Drip   | STD17-010   | 10            | 250              |



Spigot x Hub x Swing



Spigot x Hub x 17 mm Drip



Manifold Cross 1"



Manifold Tee 1"

**KwikSnap™**  
Professional Quality



Snap-On Saddle

### Ordering Information - KwikSlip™ Spigot x Hub x Swing

| Description                     | Part Number | Pack Quantity | Units Per Carton |
|---------------------------------|-------------|---------------|------------------|
| 1" Spigot x 3/4" Hub to Swing   | SC-131      | 10            | 250              |
| 1 1/4" Spigot x 1" Hub to Swing | SC-168      | 10            | 250              |
| 3/4" Spigot x 1/2" Hub to Swing | SC-101      | 25            | 250              |

### Ordering Information - KwikSlip™ Spigot x Hub x 17 mm Drip

| Description                          | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------------|-------------|---------------|------------------|
| 3/4" Spigot x 1" Hub to 17 mm Drip   | SCD17-131   | 10            | 250              |
| 1 1/4" Spigot x 1" Hub to 17 mm Drip | SCD17-168   | 10            | 250              |

### Ordering Information - Manifold Cross

| Description                             | Part Number | Pack Quantity | Units Per Carton |
|-----------------------------------------|-------------|---------------|------------------|
| 1" Cross - Standard 1" Male Pipe Thread | D421        | 10            | 200              |

*Made of virgin PVC compounds to schedule 40 strength*

### Ordering Information - Manifold Tee

| Description                                  | Part Number | Pack Quantity | Units Per Carton |
|----------------------------------------------|-------------|---------------|------------------|
| 1" Tee - Standard 1" Socket for Solvent Weld | D402        | 10            | 200              |

*Made of virgin PVC compounds to schedule 40 strength*

KwikSnap™ is a glue-on PVC Y Saddle for 3/4" and 1" PVC, featuring a 30° molded outlet to prevent kinking in swing pipes—simplifying installation with a single fitting.

### Ordering Information - KwikSnap™ Snap-On Saddle

| Description                      | Part Number | Pack Quantity | Units Per Carton |
|----------------------------------|-------------|---------------|------------------|
| Snap-On Saddle 3/4" "Y" to Swing | KSY-007     | 25            | 250              |
| Snap-On Saddle 1" "Y" to Swing   | KSY-010     | 25            | 250              |


# KwikPuller™

Professional Quality

A patented pipe puller designed for an efficient method of sealing pipes that instantly bends as it enters the ground. Just slip the pipe into the KwikPuller™—no extra sealing steps required.

## Features

- Quick-start design begins working in seconds
- Seals pipe as it bends, eliminating the need for tape sealing
- Saves labor, fuel, and machine time
- Dual-pipe puller option for simultaneous pipe installations
- Compatible with Poly, PVC, conduit, gas pipe, and control wire
- Patented (US Patent #7654774)



**Watch the Video**

Scan this QR code to watch the video



## Ordering Information - KwikPuller™ 1"

| Description                    | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------|-------------|---------------|------------------|
| 1" Heavy Duty Dual Pipe Puller | DPP01       | 1             | 25               |

Use with 1" and under Poly, PVC, conduit and control wire.

## Ordering Information - KwikPuller™ 1 1/4" - 1 1/2"

| Description                            | Part Number | Pack Quantity | Units Per Carton |
|----------------------------------------|-------------|---------------|------------------|
| 1 1/4" - 1 1/2" Heavy Duty Pipe Puller | DPP15       | 1             | 15               |

Use with 1 1/4" to 1 1/2" Poly, PVC, conduit and control wire.

## Ordering Information - KwikPuller™ 2"

| Description               | Part Number | Pack Quantity | Units Per Carton |
|---------------------------|-------------|---------------|------------------|
| 2" Heavy Duty Pipe Puller | DPP02       | 1             | 15               |

Use with 2" Poly, PVC, conduit and control wire.

## Ordering Information - KwikLink™

| Description             | Part Number | Pack Quantity | Units Per Carton |
|-------------------------|-------------|---------------|------------------|
| 3/8" Quick Link for DPP | KL111       | 1             | 100              |



KwikPuller™ 1"  
Dual Pipe Puller



KwikPuller™ 1 1/4"  
- 1 1/2" Pipe Puller



KwikLink™



KwikPuller™ 2"  
Pipe Puller

# KwikCut™

## Professional Quality

Designed for durability and precision, KwikCut™ Knives provide versatile cutting solutions for a range of applications.

### Features

#### Utility Knife – Folding

- One-step blade release for easy operation
- Durable design folds with a button push
- Contoured handle with a metal pocket clip
- Compatible with most standard blades
- Retractable blade securely folds into the handle

#### Snap-Off Utility Knife

- Ideal for light-duty cutting and trimming
- Eight snap-off segments ensure a consistently sharp blade

#### Turf Knife “The Claw”

- Fixed hook serrated blade for quick, clean cuts of sod, turf, roofing, & floor coverings
- Made from cutlery-grade steel
- Comfortable, non-slip grip



### Ordering Information - Snap Off Utility Knife

| Description          | Part Number | Pack Quantity | Units Per Carton |
|----------------------|-------------|---------------|------------------|
| Snap Off Blade Knife | S0123       | 1             | 200              |

### Ordering Information - Utility Knife - Folding

| Description                               | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------------------|-------------|---------------|------------------|
| Utility Knife - Folding w/ 5 Spare Blades | UK200       | 1             | 60               |

### Ordering Information - Turf Knife

| Description           | Part Number | Pack Quantity | Units Per Carton |
|-----------------------|-------------|---------------|------------------|
| Turf Knife “The Claw” | TK300       | 1             | 50               |

### Ordering Information - Knife Replacement Blades

| Description                               | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------------------|-------------|---------------|------------------|
| Snap-Off Utility Knife Replacement Blades | BS0123      | 10            | 50               |
| Utility Knife Replacement Blades          | BUK100      | 5             | 200              |



Utility Knife -  
Folding



Snap Off  
Blade Knife



Turf Knife  
“The Claw”

# KwikTools™

Professional Quality

Heavy-duty Hand Saws designed for cutting large PVC and ABS pipes with precision. The long-lasting, fine-tooth blades ensure quick, clean cuts. Mini Hack Saw and Rope Saw provide versatility for intricate cuts and tight spaces.

## Features

- Hand Saws available in 9", 13" & 18" lengths
- Heavy-duty high tension Hack Saw cuts straight or at a 45° angle
- Hack Saw frame bar can be converted into a keyhole saw and used to store extra blades
- Lightweight Mini Hack Saw with ergonomic handle
- Rope Saw cuts plastic, soft wood & rubber in hard to reach places
- Replacement blades available

## Ordering Information - Hand Saws

| Description            | Part Number | Pack Quantity | Units Per Carton |
|------------------------|-------------|---------------|------------------|
| PVC / ABS Hand Saw 9"  | GS09F       | 1             | 50               |
| PVC / ABS Hand Saw 13" | GS13F       | 1             | 50               |
| PVC / ABS Hand Saw 18" | GS18F       | 1             | 10               |

## Ordering Information - Hack Saws

| Description             | Part Number | Pack Quantity | Units Per Carton |
|-------------------------|-------------|---------------|------------------|
| Heavy Duty Hack Saw 12" | HS12        | 1             | 6                |
| Mini Hack Saw 10"       | MH004       | 1             | 72               |

## Ordering Information - Rope Saw

| Description       | Part Number | Pack Quantity | Units Per Carton |
|-------------------|-------------|---------------|------------------|
| Wire Rope Saw 32" | RS32        | 1             | 100              |

## Ordering Information - Saw Replacement Blades

| Description                        | Part Number | Pack Quantity | Units Per Carton |
|------------------------------------|-------------|---------------|------------------|
| Hand Saw Replacement Blade 9"      | BGS09F      | 1             | 25               |
| Hand Saw Replacement Blade 13"     | BGS13F      | 1             | 25               |
| Hand Saw Replacement Blade 18"     | BGS18F      | 1             | 25               |
| Hack Saw Replacement Blades 18 TPI | HSB18       | 10            | 50               |
| Hack Saw Replacement Blades 24 TPI | HSB24       | 10            | 50               |
| Hack Saw Replacement Blades 32 TPI | HSB32       | 10            | 50               |



# KwikTools™

Professional Quality

Designed for efficiency and comfort, Dawn wire cutters are designed for stripping, cutting, and crimping wires.

## Features

### Self-Adjusting Wire Stripper & Crimper

- Innovative mechanism for stripping wires from 10-24 AWG
- Automatically adjusts to wire size and removes the outer jacket
- Crimps 10-22 AWG insulated and 4-22 AWG non-insulated wires

### Ergonomic Wire Stripper/Cutter

- Features double-dipped handles with air cushion pockets for comfort
- Strips 10-20 gauge wire with ease
- Built-in bolt cutters for 6-32 and 8-32 bolts
- Electrician-grade durability

### Wire Stripper/Cutter

- Narrow nose for tight spaces
- Spring-loaded action for quick, self-opening
- Shear-type cutting blades for clean, square cuts
- Hardened steel construction with precise stripping holes for 10 to 22 gauge wire
- Includes wire looping and bending holes for added functionality

## Applications

For home gardeners, contractors and professionals.

### Ordering Information - Self Adjusting Wire Stripper & Crimper

| Description                            | Part Number | Pack Quantity | Units Per Carton |
|----------------------------------------|-------------|---------------|------------------|
| Self Adjusting Wire Stripper & Crimper | WS1024SA    | 1             | 60               |

### Ordering Information - Ergonomic Wire Stripper/Cutter

| Description                    | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------|-------------|---------------|------------------|
| Ergonomic Wire Stripper/Cutter | WS1022-ERGO | 1             | 100              |

### Ordering Information - Wire Stripper/Cutter

| Description          | Part Number | Pack Quantity | Units Per Carton |
|----------------------|-------------|---------------|------------------|
| Wire Stripper/Cutter | WS1022      | 1             | 100              |



Ergonomic  
Wire  
Stripper/  
Cutter



Wire  
Stripper/  
Cutter



Wire  
Stripper  
Self-Adjusting

KwikTools™

Professional Quality

High-quality tool steel Crimpers for installing or removing pinch clamps. Groove Joint Pliers feature parallel jaws for a strong grip in all positions, and the Dead Blow Hammer has a tough, non-marring striking face for controlled strikes.

### Features

#### Crimpers

- Versatile tool for installing/removing pinch clamps, cutting wire strapping, and pulling nails
- Available in 8" and 12" lengths

#### Groove Joint Pliers

- Rust-resistant zinc phosphate jaws ensure a strong grip in all positions
- Available in 10", 12", and 16" lengths

#### Dead Blow Hammer

- 1.5 lb, no-bounce hammer delivers controlled strikes without marring

#### Nipple Extractor

- Sharp gripping blades allow fast removal of ¾" and ½" PVC or Polyethylene risers and nipples

#### Four-Way Key

- Fits stopcocks, sillcocks, and valves
- Made from durable heat-treated steel

### Applications

For home gardeners, contractors and professionals.



### Ordering Information - Crimpers

| Description                   | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------|-------------|---------------|------------------|
| Pinch Clamp Crimping Tool 8"  | CT108       | 1             | 50               |
| Pinch Clamp Crimping Tool 12" | CT112       | 1             | 40               |



### Ordering Information - Dead Blow Hammer

| Description            | Part Number | Pack Quantity | Units Per Carton |
|------------------------|-------------|---------------|------------------|
| Deadblow Hammer 1.5 lb | DBH15       | 1             | 100              |

### Ordering Information - Nipple Extractor

| Description                  | Part Number | Pack Quantity | Units Per Carton |
|------------------------------|-------------|---------------|------------------|
| Nipple Extractor 1/2" - 3/4" | NE005       | 1             | 100              |

### Ordering Information - Four Way Key

| Description       | Part Number | Pack Quantity | Units Per Carton |
|-------------------|-------------|---------------|------------------|
| 4 Way Silcock Key | KEY04       | 1             | 100              |

### Ordering Information - Groove Joint Pliers

| Description            | Part Number | Pack Quantity | Units Per Carton |
|------------------------|-------------|---------------|------------------|
| Groove Joint Plier 10" | GJP100      | 1             | 12               |
| Groove Joint Plier 12" | GJP120      | 1             | 6                |
| Groove Joint Plier 16" | GJP160      | 1             | 5                |



Dead Blow Hammer



Nipple Extractor



Four Way Key



Groove Joint Plier 10"



Groove Joint Plier 12"



Groove Joint Plier 16"

## KwikAccessories™

Professional Quality

Organize your tools and supplies with durable, high-impact plastic storage solutions designed for efficiency and convenience.

### Features

#### KwikBucket Storage Organizer

- High-impact plastic bucket with a heavy-duty handle & rugged, water-resistant lid
- Includes three large sorting trays

#### KwikBucket Sorting Tray

- High-impact plastic tray with four compartments designed to fit snugly inside a 5-gallon bucket

#### KwikTote "Industrial Strength"

- Made of high-density polyethylene, resistant to harsh chemicals, & oils
- Lightweight yet tough and durable, perfect for organizing tools in trucks

#### KwikGlue Tote

- Designed to carry quart or pint cans of glue & primer together, preventing spills & waste

#### KwikCap

- KwikCap Lighting – moisture resistant marker & cover for landscape lighting splices
- KwikCap Orange – A marker & cover for drain valves, stop valves, & waste valves

### Ordering Information - KwikBucket Storage Organizer

| Description                         | Part Number | Pack Quantity | Units Per Carton |
|-------------------------------------|-------------|---------------|------------------|
| Bucket Organizer with 3 large trays | B0111       | 1             | 8                |
| Bucket Lid                          | BL111       | 1             | 20               |
| Large Bucket parts tray             | BOT01       | 1             | 32               |

### Ordering Information - KwikGlue Tote

| Description   | Part Number | Pack Quantity | Units Per Carton |
|---------------|-------------|---------------|------------------|
| KwikGlue Tote | GT200       | 1             | 24               |

### Ordering Information - KwikTote "Industrial Strength"

| Description           | Part Number | Pack Quantity | Units Per Carton |
|-----------------------|-------------|---------------|------------------|
| Easy Carry Parts Tray | PT005       | 1             | 6                |

### Ordering Information - KwikCap - Orange

| Description                    | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------|-------------|---------------|------------------|
| 2" Direct Access Housing & Lid | ICAP-2      | 25            | 300              |
| Universal 2" Replacement Lid   | ILID-2      | 25            | 300              |

### Ordering Information - KwikCap Lighting - Brown

| Description                    | Part Number | Pack Quantity | Units Per Carton |
|--------------------------------|-------------|---------------|------------------|
| 2" Direct Access Housing & Lid | CAP-2DRY    | 25            | 300              |
| Universal 2" Replacement Lid   | ILID-2DRY   | 25            | 300              |



KwikGlue Tote  
(Glue & Cutter not included)



KwikBucket

KwikCap Lighting - Brown



KwikBucket Parts Tray

KwikCap - Orange



KwikTote




## KwikAccessories™

Professional Quality

KwikSplice Direct Bury kits offer tool-less installation for secure and protected wire connections.

### Features

- Kit includes gel, tube, and UL-listed wire connector
- Non-melting, dielectric sealant protects against corrosion and maintains voltage
- Suitable for multiple wire connections
- Environmentally friendly, non-drying GreenPro sealant
- High metal affinity
- UV-rated for durability



### Ordering Information - KwikSplice Direct Bury

| Description              | Part Number | Pack Quantity | Units Per Carton |
|--------------------------|-------------|---------------|------------------|
| Direct Bury Splice 8-12  | DBS-812-T   | 25            | 500              |
| Direct Bury Splice 14-12 | DBS-1412-L  | 50            | 1000             |


### KwikSplice Wire Range

|                                           | Wire Range                                                                                                                                                                                               | Voltage | Wire Type     |
|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------|
| DBS-812-T<br>Direct Bury Splice<br>8-12   | 2-6 #14 Multi-conductor Wire 2-4<br>#12 SOL or STR<br>2-4 #10 SOL or STR<br>2-4 #8 SOL or STR<br>4 #12 SOL or STR<br>3 #14 to 1 #12 SOL or STR<br>2 #10 to 2 #12 & 2 #16 SOL or STR                      | 30      | Copper/Copper |
| DBS-1412-L<br>Direct Bury Splice<br>14-12 | 2-12 #18 Multi-conductor Wire 2-6<br>#18 SOL or STR<br>2-5 #16 SOL or STR<br>4-#14 SOL or STR<br>3 #12 SOL or STR<br>2 #14 to 1 #12 SOL or STR<br>2 #16 to 2 #14 SOL or STR<br>2 #10 to 1 #12 SOL or STR | 30      | Copper/Copper |

### KwikSplice Specifications

|                                           | Dimensions                                            | Splice Tube                                                        | Gel                                                                                   | Connector                                                              |
|-------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------|
| DBS-812-T<br>Direct Bury<br>Splice 8-12   | SK 8-12G<br>Length: 3 <sup>5/8</sup> "<br>I.D: 7/8"   | High impact<br>polypropylene,<br>U.V. rated sunlight<br>resistance | Non-melting<br>synthetic dielectric<br>waterproof sealant<br>meets USDA H-1<br>rating | Steel spring,<br>shell, flame<br>retardant thermo<br>plastic insulator |
| DBS-1412-L<br>Direct Bury<br>Splice 14-12 | SK 14-12G<br>Length: 2 <sup>3/4</sup> "<br>I.D: 9/16" | High impact<br>polypropylene,<br>U.V. rated sunlight<br>resistance | Non-melting<br>synthetic dielectric<br>waterproof sealant<br>meets USDA H-1<br>rating | Steel spring,<br>shell, flame<br>retardant thermo<br>plastic insulator |

- 1 Insert the wires into the bottom of the gel-filled tube.
- 2 Position the wires within the channel.
- 3 Close the splice kit to secure the seal.





## Freight Policy

---

Prices are F.O.B. Arvada, Colorado, freight prepaid to destination specified in the order. Dawn Industries charges a shipping and handling fee on each order, which is applied at time of order and reflected on customer's invoice.

Dawn Industries covers shipping and handling for standard ground delivery within the Continental United States and Canada on orders over \$1,500 before tax (including any backorders). Dawn Industries does not cover shipping and handling for orders shipping outside of the U.S. or Canada.

## Minimum Order Policy

---

In an effort to consolidate processing costs and increase order efficiency, Dawn strongly encourages replacing frequent small orders with larger planned purchases.

- Minimum order – \$200
- International minimum order – \$500 USD
- Order in box/bag quantities to avoid broken box/bag charges

We understand that our customers may occasionally wish to place smaller orders, in such cases, a minimum \$10 special handling fee will be added. Broken box/bag orders will be charged a \$10 fee. We encourage you to support our policies so that we may continue to offer superior customer service at great prices.

## Terms

---

Net 30 days from ship date. Prices subject to change without notice.

## Product Returns

---

Dawn Industries has a no hassle guarantee, subject to the following:

The purpose of the no hassle guarantee is to ensure our distributors and dealers stock the product that suits their market and clientele.

- Return requests must be submitted to Dawn Industries within 1 year of the date of the original invoice.
- Returns after 1 year incur a 25% restocking charge and are subject to approval.
- Products may only be returned once the customer receives written authorization from Dawn Industries. If the return is authorized by Dawn Industries a Return Merchandise Authorization (RMA) number will be issued to the customer.
- Products returned must have the RMA number clearly marked on the outside of the box and reach Dawn Industries within 45 days from the date RMA is issued. All documentation and RMA number must accompany the return along with the original invoice number and an explanation why the product is being returned so that Dawn Industries may inspect the product accordingly.
- Only product that is current, non-obsolete, not specially manufactured, unused and in their original condition and original packaging will be considered for return. No returns are allowed on product with a ship date of older than 12 months.
- Refused shipments sent back to Dawn Industries without an RMA incur a 25% restocking charge.

- Upon receipt and inspection of the product, if the product is accepted for a return, a credit will be issued for the value on the original invoice, less freight, and cash discounts. At the option of Dawn Industries, full credit against future purchases or replacements will be made.
- Care must be taken to package all returns to ensure that they are not damaged in shipment. Dawn Industries will not credit items returned that have not been properly packed and as a result have sustained damage in shipment back to our facility.



### **\*Dawn Industries Limited Warranty**

Subject to the exclusions and limitations detailed below, Dawn Industries warrants to the original consumer that products of its manufacture will be free from defects in materials and workmanship under normal use and service for one year from the original consumer's date of purchase.


#### **Limited**

Limited means that Dawn Industries warrants to the original purchasers of products from Dawn Industries authorized distributors at the time of shipment such products shall be free of defects in material and workmanship while the tool or fitting is used under normal working conditions. Standard wear and tear, dulling over time, overloading, misuse, defacing the product, and acts of God are not covered under warranty.

When a warranty claim arises, the purchaser must contact Dawn Industries. If the defect comes under the terms of this limited warranty, Dawn Industries will arrange, at its sole discretion, one of the following options:

- The product will be repaired at Dawn Industries factory.
- Product will be replaced.

The purchaser is solely responsible for determining the suitability of Dawn Industries for the purchaser's use or resale, or for incorporating them into articles or using them in the purchaser's applications. The distributor is authorized to extend the foregoing limited warranty to its original purchasers in connection with the sales of Dawn Industries products, provided that such products shall not have been altered by the distributor. The distributor shall be fully responsible for any warranties the distributor makes to its purchasers which are broader or more extensive than Dawn Industries limited warranty.



## This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

## This image shows a full page of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice or general writing. There are no margins, text, or other markings on the page.

Antelco Group of Companies

**LINCOLN**  
Est. 1959  
MOULDING THE FUTURE

 **ANTELCO®**

*Dawn*  
TM



**Dawn Industries**  
5055 W. 58th Ave,  
Arvada,  
Colorado 80002 USA  
Phone: 1-303-296-4041  
Toll-Free: 1-800-321-7246  
Fax: 1-303-295-6604  
[sales@dawnindustries.com](mailto:sales@dawnindustries.com)